

# **RECOMMENDED STARTING DOSAGES OF HORMONES FOR CHRONIC PAIN PATIENTS**

**JUNE, 2014**  
**BULLETIN 24**

□ **Human Chorionic Gonadotropin (HCG)**

250 units per ml  
1/2 ml BiD-Sublingual

□ **Oxytocin**

15 units per ml  
1/2 ml BiD-Sublingual

□ **CP Progesterone 100 mg/ml**

1/2 ml BiD-Sublingual

□ **CP Pregnenolone 100 mg/ml**

1/2 ml BiD-Sublingual

□ **CP Dehydroepiandrosterone (DHEA) 100 mg/ml #60 ml**

1/2 ml BiD-Sublingual

#60 ml

#60 ml

#60 ml

#60 ml

#60 ml

**Dr. Techy says,  
"You don't  
have to use  
sublingual."**




**Dr. Hormone "Special Notes:"**

**#1-It is recommended that progesterone, pregnenolone, and DHEA NOT be started on pain patients unless serum levels have been tested and found to be low."**

**#2-Dosages can be raised if the patient tolerates the starting dosages and requires a higher dosage to get a clinical response.**

**#3-If the patient doesn't get a clinical response after one month, we recommend the hormone be stopped.**



**Information  
Network**

**Contact Information:**

Tennant Foundation  
334 S. Glendora Ave.  
West Covina, CA 91740-3043  
Ph: 626-919-7476  
Fax: 626-919-7497  
E-mail: [veractinc@msn.com](mailto:veractinc@msn.com)